	Mini II Mini II Mini I Eco Advance EX	Mini II Mini II Mini Eco Advance EX		Maxi II	Maxi II Maxi II Maxi II Eco Advance EX	Maxi II EX	Ovation 28 Eco / Advance / EX	Ovation 28 Ovation 56 Eco / Advance / EX	OvaEasy 100 Advance‡ / Advance EX	0vaEasy 190 Advance‡ / Advance EX	OvaEasy 380 Advance±/ Advance EX	0vaEasy 580 Advance‡/ Advance EX	OvaEasy 100 OvaEasy 190 OvaEasy 380 OvaEasy 580 OvaEasy Hatcher Advance EX Ad	Contaq 27 Raptor	К7
Product Code	AB15	AB15 AB16 AB17	AB17		AC26	AC27	AC27 AF35 / AF36 / AF37 AG45 / AG46 / AG47	AG45 / AG46 / AG47	MJ1023 / MJ1033	MJ1923 / MJ1933	MJ3823 / MJ3833	MJ5823 / MJ5833	MJ4923 / MJ4933	04000	04500
Egg capacity (approx - see www.brinsea.co.uk for details on egg sizing and dimensions)	- see www.	brinsea.c	20.uk for d	letails on (egg sizing a	and dime	nsions)								
Quail	54	12*	12*	06	*04	*04		110#	248**	**698	1738**	2976**	200	88	110
Pheasant	12	12*	12*	25	*0	*04	22#	#96	118**	233**	466**	708**	224	48	64
Hen	9	7	7	8	14	14	28	26	**96	192**	384**	276**	192	42	46
Duck/Turkey	8	7	7	8	4	4	78	56	**09	125**	265**	390**	140	88	45
Goose	0	0	0	0	0	0	#5	12#	30	63	126	180	72	20	8
Amazon/Macaw	not rec. not rec.	not rec.	7	not rec.	not rec.	14	not rec.	not rec.	not rec.	not rec.	not rec.	not rec.	not rec.	42	49
Heating															
Forced Air (fan)	•	•	•	•	•	•	•	•	•	•	•	•	•	1	•
Contact Heating	-	ı	1	1	1	1	1	-	1	1	1	1		•	,
Periodic Cooling	1	•	•	1	•	•	Advance / EX	Advance / EX	•	•	•	•	•	•	•
Egg Turning															
Manual	•	1	1	•	1	1	1	-	1	1	1	-	1	1	ı
Programmable	1	•	•	1	•	•	•	•	•	•	•	•	•	•	•
Countdown to hatch	-	•	-	-	•	-	-	_	-	-	-	-	-	-	1
Temperature Control															
Basic-glass thermometer	•	ı	1	•	1	ı	1	1	1	1	1	1	1	1	
Digital (inc. alarms)	1	•	•	1	•	•	•	•	•	•	•	•	•	•	•
Humidity Control															
None (just add water)	•	•	-	•	•	-	E00	Eco	1	1	1	1	-	1	1
Digital humidity display	1	ı	•	1	1	•	Advance	Advance	Advance‡	Advancet	Advancet	Advance‡	Advance‡	1	
Fully automatic control	1	1	•	-	1	•	EX	EX	Advance EX	Advance EX	Advance EX	Advance EX	Advance EX	1	•
Power consumption (Watts)	Watts)														
Max.	50	20	20	40	40	40	09	115	200	200	200	200	200	120	120
Typical	12	12	12	54	54	24	8	09	80	100	100	100	100	99	8
* with small and disk # with cotional large and carrier	with option	and farms	enn carrie		ons lenotine	oioc-cuo	offic trave and including	or batching traviol for th	ha 190 & 380 modale + 7	Labour Advance modele	non-EVI have dinited humid	hy dionlay but not automati	studis antional monolità sense and incidentina bestehtina tractal for the 110 200 models + DucEaus Ademan models from EVI bense dicited formidità riteralui but and estementia humalità montral. Con unabalita for full	its for full dataile	

Typical 12 12 12 24 24 24 24 24 24 30 60 80 100 100 100 100 100 60 60 "with small egg disk. # with optional single egg carrier. "with optional species-specific traps and including traching trap(s) for the 190 & 380 models. # Overlage and vision for the 190 & 380 models. # Overlage and vision for the 190 with a feature. The properties of the 190 with a feature. The properties of the 190 with a feature with a feature. The properties of the 190 with a feature with a feature with a feature. The properties of the 190 with a feature with a	12 12 24 24 24 30 31 31 32 34 35 35 35 35 35 35 35	60 60 in the		100	100	100	100		09
and the section of th	snall egg disk. # with optional large egg carrier. **with optional species-specific trays and inc	ling hatching traufel for the							
		and independent of the con-	\$ 380 models. ‡ Ova£	Advance models (no	ave digital	display but not aut	atic humidity	Įį,	

appreciation of the requirements chance for hatching success

subject to a

brooder, subject to online registration.

. As a result we confid Guarantee with every

continuous and

nanufacture

ion and improvement we reserve the right to alter specifications of any product without notice

information on products and egg incubation visit our website.

For prices, details of your nearest stockist and much more

Visit the Brinsea YouTube channel for short clips introducing the product range and demonstrations of their functions: more clips being added regularly.

on YouTube

Brinsea

704 N. Dixie Avenue, Titusville, FL 32796, USA **1-388-667-7009** or (321) 267 7009 Fax: (321) 267 6090 **www.brinsea.com** e-mail: sales@brinsea.com

Brinsea Products Inc

ndustrial Estate, Weston-+44 1934 417523 Fax:

32-33 Buckingham Road, Weston | **Tel UK: 0345 226 0120** Tel Intl:

Brinsea Products incubators and Accessories

Incubators	Page 2
Brooders/Intensive Care	Page 8
Starter Packs	Page 10
Accessories	Page 10
Buying Guide	Page 11
Incubator Comparison Chart	Page 12

The latest innovative products from the Incubation Specialists



New EcoGlow brooder range

Brinsea launch 3 new poultry/game brooders featuring lower running costs, easier cleaning and easier adjustment -


compliance with EU Safety rules.


for details.



The Brinsea Difference

To maximise hatch rates, a successful incubator must maintain even air temperature. Brinsea's computer modelled temperature mapping technology means no other brand on the





Patent granted

for Brinsea's unique room temperature alarm

Temperature stability is critical to a successful hatch and large fluctuations in room temperature can reduce hatch rates. Brinsea's new room temperature alarm is now fitted to all digitally controlled models and warns the user if room temperatures vary too widely so that action can be taken to protect the developing chicks.

Anti-microbial Plastic

incubator's surface.

The warm, damp conditions inside egg incubators are ideal breeding grounds for bacteria which can infect developing chicks causing unexplained hatching failure. To help combat this problem Brinsea use Biomaster™ silver technology, **Biomaster** developed to inhibit the growth and spread of bacteria on the

Brinsea Incubation Specialists



100% UK manufactured For guaranteed performance

Over 40 years of incubation experience

Brinsea Mini II and Maxi II incubators

Small capacity without compromise.

The Brinsea Mini II and Maxi II incubators are small, high quality, low cost egg incubators combining ease of use, performance and value.

All models feature all round visibility of your hatching eggs, convenience of external water top-up and the latest technical innovations drawn from **Brinsea's 40 year experience** in egg incubator design.

Six models in two sizes and three feature levels mean there is an ideal model for every breeder.

The Mini II holds 7 hens eggs (10 in the manual turn Eco model) and the Maxi II holds 14 hens eggs (30 in the manual turn Eco model). Other egg sizes from quail to duck can be accommodated – see egg handling section opposite.

The Eco models require more user involvement with manual egg turning needed twice a day whereas the Advance turns the eggs automatically and provides digital control of temperature, including alarms to warn of power failure, incubation temperature fluctuations, periodic cooling option and Brinsea's new patented room temperature alarm.

The EX model adds fully automatic and highly accurate humidity control, more turning options and both egg disks to accommodate all egg sizes at a new, lower cost.

The Maxi II Eco, with its high capacity and manual turning is also ideal as a hatcher, in conjunction with a separate setter, for multi-stage incubation.

These models can also be powered from a 12v car cigarette lighter type socket with a suitable adaptor (part number 15.45).

and 14.092 (Maxi)



Watch your eggs hatch, every time...

Mini II and Maxi II – features

Comparison	EC0	ADV	EX
High visibility cabinet	V	~	V
Biomaster antimicrobial plastics	V	V	~
External water top-up	V	V	~
Fan assisted airflow	V	V	~
Ventilation control (Maxi II)	V	~	~
Glass thermometer	V	_	_
Digital display of temperature	_	~	V
Automatic egg turning	_	V	V
Countdown to hatch and autoturn stop	_	V	_
Optional periodic egg cooling	-	~	V
Incubator temperature alarm	-	~	~
NEW room temperature alarm	-	~	~
7 hen egg disk (Mini)	-	~	~
12 small egg disk (Mini)	-	OPTION	~
14 hen egg disk (Maxi)	-	~	~
40 small egg disk (Maxi)	-	OPTION	~
Ideal for parrots	_	_	~
Display of humidity	_	_	V
Integral automatic humidity control	-		V
Fine control of autoturn	_	_	V
3 year guarantee	V	V	V






Mini II and Maxi II - egg handling

Maximum egg capacities (*with small egg disk)


	Mini II Eco	Mini II Advance	Mini II EX	Maxi II Eco	Maxi II Advance	MaxiII EX
Quail	24	12*	12*	90	40*	40*
Pheasant	12	12*	12*	54	40*	40*
Hen	10	7	7	30	14	14
Duck	8	7	7	20	14	14

see www.brinsea.co.uk for maximum egg dimensions

Mini II: Egg configurations – ECO top, Advance/EX bottom



Maxi II: Egg configurations – ECO top, Advance/EX bottom



The Brinsea Mini II and Maxi II incubators are ideal for use in education but should only be used under adult supervision.

Brinsea Mini II and Maxi II incubators are subject to EU design registration Nos 003007103-0001 (Mini II) and 003007103-0002 (Maxi II) For full specifications visit www.brinsea.co.uk


The all-new Ovation incubator range.

Innovation, Performance and Value.

The Ovation 28 and 56 models are a range of all-digital, all-automatic egg incubators designed with ease of use and consistently high hatch rates in mind with a range of features to suit all bird breeders.

NEW Induced Dual Airflow

Both models incorporate Brinsea's new 'Induced Dual Airflow' system which represents a breakthrough in incubator design and achieves new levels of temperature consistency for optimum incubation conditions.



See www.brinsea.co.uk/Induceddualairflow

The two sizes accommodate 28 and 56 hens eggs respectively, other egg sizes from quail to goose can be incubated.

Three feature levels are available for each size with the **Eco** models controlled by a basic but highly accurate digital control displaying temperature, the **Advance** model adds digital display of incubation humidity, optional periodic cooling and Brinsea's patented alarm system and the **EX** models include extremely accurate integral automatic humidity control for complete peace of mind. All models have automatic turning as standard.

Biomaste



Combining, tough construction with high performance and egg capacity, the Ovation incubators are ideal for the serious breeder.

Ovation 28 and 56 – features

Comparison	EC0	ADV	EX
High quality high visibility cabinet	V	V	V
Biomaster antimicrobial plastics	V	~	V
External water top-up	-	-	V
Fan assisted airflow (USP)	V	V	V
Digital display of temperature °C or °F	V	V	V
Automatic egg turning	V	~	V
Optional periodic egg cooling	-	~	V
Incubator temperature alarm	V	V	V
NEW room temperature alarm	V	V	V
Display of humidity	_	V	V
Integral automatic humidity control	_	_	V
Programmable turning interval	V	V	V
Easy water top-up with level indicator	V	V	_
3 year guarantee	V	~	V

Ovation 28 and 56 – egg handling

Eggs are held in tilting egg carriers in the Ovation incubators. Hen egg carriers are supplied as standard, 4 in the 28 and 8 in the 56, which can hold any egg size up to duck. See the table below.

Standard configuration		Ovation 28	Ovation 56
Egg capacities	Quail	48	96
with standard egg carriers	Pheasant	48	96
cyy carriers	Hen	28	56
- 7	Duck	28	56
	Goose	0	0

see www.brinsea.co.uk for maximum egg dimensions



Hen/duck egg carriers


supplied as standard (4 in Ovation 28, 8 in Ovation 56)

For greater flexibility large egg carriers can be bought separately which accommodate goose eggs or greater capacity of quail/pheasant eggs. See the table below.

Optional configuration

Egg capacities with optional		Ovation 28	Ovation 56
large egg carriers	Quail	66	110
	Pheasant	57	95
	Goose	9	15

see www.brinsea.co.uk for maximum egg dimensions



Large egg carriers optimised for quail and goose optional extra (3 in the Ovation 28, 5 in the Ovation 56)

Keep your incubator clean and help prevent splayed legs with new hatching mats. Available in packs of 6. Part number AF014 (28) and AG008 (56).



The Brinsea Ovation 28 and 56 are subject to EU design registration Nos 003007103-0003, 003007103-0004, 003007103-0005 and 003007103-006. For full specifications visit www.brinsea.co.uk

INCUBATION PRODUCTS INCUBATION PRODUCTS

New levels of performance PLUS superb value



The Series II range of the popular OvaEasy Cabinet Incubators now extends from the compact OvaEasy 100 to the high capacity OvaEasy 580 and Hatcher combination, all providing the same consistently high hatch rates and value.







Integral water tray and airflow control



Fans provide 'I aminar Airflow'



Laminated high density polystyrene sides



Universal Egg Travs and Hatching Tray

Performance and ease of use

Multiple small fans blowing air in laminar flow around the egg chamber provide much better temperature distribution than a single, large fan. This approach, coupled with the high levels of insulation mean that temperature is extremely evenly distributed throughout the egg chamber, ensuring good hatch rates, time after time.

The convenient control panel allows the user to adjust the temperature, humidity (EX versions only), ventilation and turning with ease. Temperature and humidity levels are shown on a calibrated digital display on the front of the panel.

The fully automatic turning can be switched off from the control panel while the eggs are being accessed or the incubator cleaned.

Construction – durable and energy efficient

The OvaEasy models have fully protected steel chassis which are rigid and rust resistant with laminated high density polystyrene sides providing good thermal insulation and smooth, easy to clean surfaces. The transparent, double glazed door provides thermal insulation plus the convenience of total visibility of eggs and hatched chicks.

Egg handling

Eggs are held in removable trays. As standard the incubators are supplied with universal egg trays with adjustable dividers allowing the user to efficiently fit a wide range of egg sizes from quail to goose, although at a cost of maximum capacity.

For maximum capacity optional species specific egg trays are required.

OvaEasy 100

96 hen egg capacity

OvaEasy 190

192 hen egg capacity includina integral hatching tray

OvaEasy 380

384 hen egg capacity includina integral hatching tray

OvaEasy 580

576 hen egg capacity excludina optional separate hatcher

OvaEasy Hatcher 192 hen eag capacity

see www.brinsea.co.uk for maximum egg dimensions

All models in the range are fitted with Brinsea's proven Advance digital control system which is both accurate and easy to use. Incubation temperature (in °C or °F) and humidity are continuously displayed along with temperature alarm and egg turning status.



The Series II models include patented room temperature alarms to warn if the environmental temperature goes outside the optimum range and a new single button press to automatically level the shelves for tray access.

All models can be upgraded to EX specification to include fully automatic control of humidity with the addition of the EX water pump system (see opposite).

100: Eggs are set and hatch in trays on two tilting shelves which are set level for hatching. Hatching covers are provided to safely contain the hatching chicks. The OvaEasy 100 is best suited to single stage incubation where a batch of eggs is set at one time and all hatch together.

190 and 380: Eggs are initially set on three tilting shelves and then moved down to the removable hatching tray at the base. These models are ideally suited to multistage incubation where fresh trays of eggs are added each week on the top shelf and trays are moved down a shelf each week before hatching in the lower hatching tray.

580 and Hatcher: The 580 has six tilting shelves and is ideally suited to multistage incubation where fresh trays of eggs are added each week on the top shelves and trays are then moved down each week before moving to the separate Hatcher, where hatching covers safely contain the chicks.

OvaEasy Advance EX Series II

Improved control for valuable and hard-to-incubate eggs

Humidity is a crucial factor in successful egg incubation and the EX versions of the OvaEasy Advance Series II incubators put accurate control of humidity in the hands of the user.

The OvaEasy Advance Series II models provide continuous readout of incubation humidity and require the user to alter humidity to achieve the ideal average level.

The EX version with the Humidity Pump effectively maintains the humidity level precisely at the level the user sets irrespective of changes in room humidity and so overcomes problems that can commonly lead to eggs failing to hatch - especially in the latest stages of incubation.

The Humidity Pump includes an external water reservoir eliminating the chances of water in the incubator harbouring bacteria. The Humidity Pump module is designed to work seamlessly with the OvaEasy Advance incubators and can be purchased later as an upgrade from Advance to Advance EX status.



Brinsea's new range of EcoGlow brooders are the safe and low-cost way to keep your hatchlings warm.



The EcoGlow Safety 600, Safety 1200 and Safety 2000 are ideal for keeping newly hatched poultry, game and waterfowl warm for the crucial first days and weeks.


The low voltage heater panel warms the chicks directly by contact and radiant heat and is far more economical than a conventional infrared lamp, using between 5 and 20% (depending on model) of the electricity of a 250 Watt suspended lamp, which is important when heating for 24 hours a day, 7 days a week.

Clear plastic covers available to make cleaning easier. Supplied in packs of 3.

Part numbers HD050 (600), HD051 (1200) and HD052 (2000). Contact with the body-temperature heating surface of the EcoGlow Safety brooders is a more natural way of raising chicks than a heat lamp. It avoids the stress of being under light 24 hours a day and the chicks get used to nights and day routines which improves weight gain and feather growth. The EcoGlow Safety brooders have height adjustment for a wide range of chick sizes and its tough plastic and metal construction makes it durable and easy to clean. Water-tight (IPX7) construction and low voltage operation are designed to comply with stringent electrical safety standards.

Each EcoGlow Safety is supplied with a mains adapter (either USA or UK/Euro/ Australian versions available) incorporating a 3m lead. Like all Brinsea's products, the EcoGlow Safety brooders are covered by a FREE 3 year guarantee, subject to online registration. This product is for indoor use only and the room temperature should not drop below 10°C (50°F).

EcoGlow



The EcoGlow brooders are subject to EU design registration No.005319860-0001 and 005319860-0002.

TLC-40 and TLC-50

Intensive Care Brooders /Incubators

Brinsea's TLCs are multi-functional machines with a wide variety of applications. They are used around the world by rescue centres, breeding centres and animal rehabilitators.

Better brooding for your exotic birds

Altricial species of birds (including all parrots and birds of prey) are blind and helpless when they hatch and it is some weeks before they are able to move around, control their body temperature and feed themselves. The TLC provides a clean, temperature controlled environment as free as possible from airborne contaminants. Young birds also benefit from being able to see humans during this early stage in their development as it is essential for them to become familiar with the presence of people if they are to be tame in adulthood.

Small mammal incubation

TLC incubators are the best place for weak and fragile animals to heal, hide and grow – especially for tiny babies who aren't yet old enough to retain their own heat. The incubators provide a warm,

clean, quiet, safe and reliable haven for these animals. Many young babies need extra help to survive in those early days and a secure, controlled environment gives them the best chance to recover and thrive. Our incubators are suitable for a wide range of animals including bats, birds, hedgehogs, foxes, badgers and even small deer.

Each TLC model is available with either Eco or Advance control system. The Eco provides digital control and read-out of temperature whereas the Advance also shows humidity, includes temperature and power failure alarms and can be further supplemented by Brinsea's optional EX Humidity Pump to provide full control of humidity.

The TLC-40 & 50 are subject to EU Design Registration No.001779729-0005

- Biomaster 40
 - Accurate and adjustable digital temperature control
 - Smooth, easy to clean interior with antimicrobial plastics to combat bacteria
 - No vulnerable edges for birds or animals to chew
 - Positive pressure with gentle fan ventilation
 - Twin stage filter, for removal of harmful bacteria and fungi
 - Water reservoir for increasing humidity with external top up
 - Permanent calibrated digital temperature control with additional features and flexibility in Advance versions
 - Tough, clear hinged door with secure catch
 - Choice of two generous sizes suitable for a wide range of species
 - 3 year guarantee (subject to simple online registration)

	EcoGlow Safety 600	EcoGlow Safety 1200	EcoGlow Safety 2000	TLC-40 Eco	TLC-40 Advance	TLC-50 Eco	TLC-50 Advance	
Poultry, Game & Waterfowl	•	•	•	-	-	-	-	
Parrots, Birds of Prey & Mammals	_	-	-	•	•	•	•	
Max number of hatchlings (approx)	20	35	50	15	15	30	30	
Floor area/footprint [mm] (approx)	210 x 290	280 x 440	410 x 550	300 x 400	300 x 400	400 x 600	400 x 600	
Heating								
Radiant/Contact	•	•	•	_	-	-	_	
Forced Air (Fan)	_	-	_	•	•	•	•	
Temperature Control								
None	•	•	•	-	-	_	-	
Digital	-	-	-	•	-	•	-	
Digital (inc. alarms)	-	-	-	-	•	-	•	
Humidity Control								
None	•	•	•	•	-	•	-	
Digital humidity display	-	-	-	-	•	-	•	
Fully automatic control	-	-	-	-	-	-	-	
Power consumption (Watts)								
Max.	12	18	50	150	150	150	150	
<u>Typical</u>	12	18	50	85	85	100	100	

Candling Lamps

Candling monitors the

development of the embryo within the egg allowing

infertile eggs to be removed before they become infected and contaminate the others. Candling lamps show the rate of enlargement of the airspace within the egg as a gauge of incubation humidity and identify details of development stage (e.g. vein growth)

Two models are available:

OvaView (F180) A very effective low cost all purpose candling lamp ideal for identifying infertile eggs with pale, plain shells (most species of hen, duck, goose, etc). Battery powered for convenience and uses high output, high efficiency LED illumination - so no bulbs to replace and no concerns about overheating the eggs during inspection. The OvaView is designed to be either hand-held or can be placed for use on a work surface. Supplied with a flexible black ring to seal against the egg shell and a set of 4 AA batteries.

OvaView High Intensity (F190)

Similar to the OvaView but with much higher light output from a higher spec LED. The greater power makes inspection of darker and mottled equ shells easier. Supplied with both the normal flexible black ring to seal against the egg shell plus a special smaller

version for smaller eggs. The larger power drain means that rechargeable AA batteries are needed.

OvaScope (F200) An award winning innovative aid to egg candling which works with either model of OvaView and improves the clarity and visibility of the egg and its contents by completely blocking out ambient light, slightly magnifying the image of the egg and allowing the viewer to rotate the egg smoothly as it is observed. It can be fitted with a webcam or camera so is ideal for demonstration or classroom purposes.

Thermometers

Accurate temperature is essential for successful incubation and a reliable. accurate thermometer is a must.

Liquid-in-glass (14.231)

Traditional, accurate and reliable glass thermometers built to Brinsea's specification covering the range of 25-40°C.

Digital 'Spotcheck' (25.64) Compact, easy to read and extremely accurate digital incubation thermometer. Discriminates to 10th of a °C or °F and accurate to +/-0.1°C at 37.5°C – compare that to most types available! Covers the range 32 to 43°C and includes a remote sensor allowing the display to be outside the incubator. Operates from watch-type battery (included) which lasts for about

Brinsea disinfectant

100ml (14.35) / 600ml (14.36) (fully biodegradable).

Formulated to be used for sanitising eggs, incubators and brooders. Available in concentrated form. Brinsea's Incubation Disinfectant is both safe and effective against yeasts, fungi, viruses and bacteria which can cause fatal damage to the growing embryo. 100ml of disinfectant concentrate

Poultry/Waterfowl Feeders and Drinkers

makes 10 litres (2.64 gallons)

Tough, sturdy, low cost polypropylene general poultry, waterfowl and game feeders and drinkers.

Chick Enclosure Panels (set of 8)

Waterproof enclosure system suitable for the EcoGlow Brooders. (HE100)

The OvaScope is subject to EU Design Registration No.001779729-0003 and the OvaView to EU Design Registration No.001779729-0004

STARTER PACKS



Brinsea's Starter Packs are complete sets of incubator. brooder, egg candler, feeder, drinker and disinfectant – everything you need to start hatching and raising chicks - at a special pack price.

8 months of continuous use.

Visit www.brinsea.co.uk for full details.

Mini II Eco Starter Pack (N700)

MinI II Advance Starter Pack (N710)

Maxi II Advance Starter Pack (N730)



.CO.UK

Brinsea have a website packed with information. hatching tips and free downloads.

(UK)

www.brinsea.co.uk

www.brinsea.com

User instructions

Lost the user guide to your incubator? Free .pdf downloads of all instructions are available on the Brinsea website (English only).

Incubation help

Having problems getting good hatch rates? The Incubation handbook is a 24 page FREE download booklet which outlines the main principles of incubation, how different types of incubators work, what can go wrong and practical tips to get the best out of your equipment. www.brinsea.co.uk/incubationhandbook

Distributors

Find your local Brinsea stockist.

FREE 3 year guarantee

Register your product details online within 30 days of purchase to qualify for your free three year manufacturer's quarantee.

Monthly Newsletter

Brinsea have a free monthly email newsletter featuring a mixture of competitions, product news and links. Visit the Brinsea website to sign up.

Spare Parts

Brinsea have manufactured and sold incubators for over 40 years and there are many older machines still in active service. We stock spares for as many of these older machines as we can and these are all available from the Brinsea website.

CONTACT INCUBATION PRODUCTS

No compromise

Laboratory grade egg incubators for the most demanding applications.

3rd generation no compromise contact incubator for unbeatable hatch rates with wild species, developed in conjunction with worldleading bird of prey breeders.

Brinsea's no compromise moving air incubator/hatcher. For use in conjunction with the Contag Z7 Raptor or for any demanding incubation application.

